Šæ 5

```
<!ENTITY % style "Plain Bold Italic Underline Strikethru">
<! ENTITY & pictboxrunaroundtype
"none; item|autoimage|embeddedpath|alphachannel|nonwhiteareas|sameasclipping|pict
urebounds">
< :ENTITY % simplerunaroundtype "none item">
<!ENTITY % truefalse "true false">
< FLEMENT layout (page )+>
<!ELEMENT page (pictureBox | textBox | line ) *>
<!ATTLIST page
                                                width
                                                      CDATA #REQUIRED
                height CDATA #REQUIRED
                                                pageNum CDATA #REQUIRED
<!ELEMENT pictureBox
                     (picture?)>
<: ATTLIST pictureBox
                                      (%truefalse;) #REQUIRED
                      canEdit
                      isprintable
                                      (%truefalse;) #IMPLIED
                                      CDATA #REQUIRED CDATA #REQUIRED
                      xpos
                      Abos
                      zpos
                                      CDATA #REQUIRED
                      width
                                      CDATA #REQUIRED
                                      CDATA #REQUIRED
                      height
                      color
                                     CDATA #IMPLIED
                      shade
                                     CDATA #IMPLIED
                      angle
                                     CDATA #IMPLIED
                      skew
                                     CDATA #IMPLIED
                      frameWidth
                                     CDATA #IMPLIED
                      frameColor
                                     CDATA #IMPLIED
                                     CDATA #IMPLIED
                      frameShade
                      cornerradius
                                      CDATA #IMPLIED
                      runaroundtype
                                      (%pictboxrunaroundtype;) #IMPLIED
                                      CDATA #IMPLIED
                      runaroundtop
                      runaroundleft
                                      CDATA #IMPLIED
                      runaroundbottom CDATA #IMPLIED
                                                                  runaroundright
CDATA #IMPLIED
<!ELEMENT picture EMPTY>
<! ATTLIST picture
                   isprintable
                                  (%truefalse;) #IMPLIED
                   url
                                  CDATA #REQUIRED
                                  CDATA #IMPLIED
                   xoffset
                                  CDATA #IMPLIED
                   yoffset
                   xscale
                                  CDATA #IMPLIED
                   yscale
                                  CDATA #IMPLIED
                                                       angle
                                                                      CDATA
#IMPLIED
                                  CDATA #IMPLIED
                   skew
                   fliphorizontal (ttruefalse;) #IMPLIED
                   flipvertical
                                 (%truefalse;) #IMPLIED
<!ELEMENT text (#PCDATA) >
<:ELEMENT textRange (style*,text)>
<: ATTLIST 'textRange
                     font CDATA #IMPLIED
```

```
size CDATA
#IMPLIED
                     color CDATA #IMPLIED
                     justification (left | center | right) #IMPLIED
<!ELEMENT textBox (textProperties?, textRange*)>
<!ATTLIST textBox
                      canEdit
                                       (%truefalse;)
                                                      #REQUIRED
                      isprintable
                                       (%truefalse;)
                                                     #IMPLIED
                                          CDATA #REQUIRED
                         numCols
                                       CDATA #REQUIRED
                      ypos
                                       CDATA #REQUIRED
                                       CDATA #REQUIRED
                      zpos
                                       CDATA #REQUIRED
                      width
                                      CDATA #REQUIRED
                      height
                      color
                                       CDATA #IMPLIED
                      shade
                                       CDATA #IMPLIED
                                       CDATA #IMPLIED
                      angle
                      skew
                                       CDATA
                                             #IMPLIED
                      frameWidth
                                       CDATA #IMPLIED
                      frameColor
                                       CDATA #IMPLIED
                      frameShade
                                       CDATA #IMPLIED
                      cornerradius
                                       CDATA #IMPLIED
                      runaroundtype
                                       (*simplerunaroundtype;)
                                                                #IMPLIED
                                      CDATA #IMPLIED CDATA #IMPLIED
                      runaroundtop
                      runaroundleft
                      runaroundbottom CDATA #IMPLIED
                      runaroundright CDATA #IMPLIED
                      runaroundallsides CDATA #IMPLIED
                                       CDATA #IMPLIED
                       chainName
                      numberInChain
                                      CDATA #IMPLIED
< ELEMENT textProperties EMPTY>
< ATTLIST textProperties
                                                             CDATA #IMPLIED
                                             angle
                 skew
                                CDATA #IMPLIED
                fliphorizontal (%truefalse;) #IMPLIED flipvertical (%truefalse;) #IMPLIED
                gutter
                                CDATA #IMPLIED
                 inset
                                CDATA #IMPLIED
<!ELEMENT style EMPTY>
<!ATTLIST style name (%style; ) #REQUIRED >
<! ELEMENT line EMPTY>
< ATTLIST line
                 canEdit
                                 (%truefalse;) #REQUIRED
                X1
                                 CDATA #REQUIRED
                 y1
                                 CDATA #REQUIRED
                x2
                                 CDATA #REQUIRED
                 y2
                                 CDATA #REQUIRED
                 zpos
                                 CDATA #REQUIRED
                 width
                                 CDATA #REQUIRED
                 color
                                  CDATA #IMPLIED
                 shade
                                 CDATA #IMPLIED
```

(%simplerunaroundtype;) #IMPLIED

CDATA #IMPLIED

CDATA #IMPLIED

runaroundtype

runaroundtop

runaroundleft

runaroundbottom CDATA #IMPLIED

runaroundright CDATA #IMPLIED

from the front stant than then they find they the first of the good family in

Appendix II

```
<?xml version="1.0" encoding="latin1" ?>
    <!DOCTYPE layout SYSTEM "http://127.0.0.1/src/dtds/layout.dtd">
5
    <layout>
           <page pageNum="1" height="792" width="612">
                 <textBox xpos="225" ypos="643.252" width="365.7266"</pre>
    height="21,2385" color="None" canEdit="true" zpos="0" numCols="1"
     angle="0" frameColor="Black" runaroundleft="15" runaroundright="6"
     runaroundtop="1" runaroundbottom="6" runaroundtype=""
10
     frameWidth="0">
                       <textProperties/>
                       <textRange font="Berkeley" size="9"
     color="heidelberg">
15
                              <style name="Plain"/>
                              <text>The NexPress 2100 is the first
     product from the Kodak/Heidelberg collaboration.</text>
                       </textRange>
                 </textBox>
                 <pictureBox xpos="228.2694" ypos="417.4751"</pre>
20
     width="329.7306" height="210.7603" color="White" canEdit="true"
     zpos="l" angle="0" frameColor="Black" runaroundleft="5"
     runaroundright="5" runaroundtop="5" runaroundbottom="5"
     runaroundtype="" frameWidth="0">
25
                       <picture</p>
     url="http://localhost/src/testfiles/images/NexPress.jpg"/>
                 </pictureBox>
                 <pictureBox xpos="511.4316" ypos="745.4925"</pre>
     width="55.5683" height="17.0089" color="None" canEdit="true"
     zpos="2" angle="0" frameColor="Black" runaroundleft="1"
30
     runaroundright="1" runaroundtop="1" runaroundbottom="1"
     runaroundtype="" framewidth="0">
                        <picture</p>
     url="http://localhost/src/testfiles/images/cahners.jpg"/>
35
                  </pictureBox>
                 <textBox xpos="43.5" ypos="188" width="465.5897"
     height="20.2267" color="None" canEdit="true" zpos="3" numCols="1"
     angle="0" frameColor="Black" runaroundleft="1" runaroundright="1"
     runaroundtop="1" runaroundbottom="1" runaroundtype=""
40
     frameWidth="0">
                        <textProperties/>
                        <textRange font="Berkeley" size="18"
     color="Black">
                              <style name="Bold"/>
                              <text>Kodak/Heidelberg NexPress 2100</text>
45
                        </textRange>
                  </textBox>
                  <textBox xpos="43.5" ypos="137.1384" width="518.9999"</pre>
     height="30,5376" color="None" canEdit="true" zpos="4" numCols="1"
     angle="0" frameColor="Black" runaroundleft="1" runaroundright="1"
50
     runaroundtop="1" runaroundbottom="1" runaroundtype=""
     frameWidth="0">
                        <textProperties/>
```

10

15

20

30

35

45

50

Appendix II

```
<textRange font="Berkeley" size="17"</pre>
```

colors"Black">

<style name="Plain"/>
<text>New products keep up with today's

fast-paced workflow needs.</text>
</textRange>

</textBox>

<textBox xpos="231.9392" ypos="712.3965"

width="336.1818" height="32.4892" color="White" canEdit="true"
zpos="5" numCols="1" angle="0" frameColor="Black" runaroundleft="1"
runaroundright="1" runaroundtop="1" runaroundbottom="1"
runaroundtype="" frameWidth="0">

<textProperties/>

</textBox>

25 <picture

url="http://localhost/src/testfiles/images/11.jpg"/>
</pictureBox>

zpos="8" angle="0" frameColor="Black" runaroundleft="1"
runaroundright="1" runaroundtop="1" runaroundbottom="1"
runaroundtype="" frameWidth="0">
cpicture

url="http://localhost/src/testfiles/images/ioYello.jpg"/>
</pictureBox>

40 frameWidth="0">

<textProperties/>
<textRange font="Berkeley" size="14"

color="Black">

<style name="Plain"/>

NexStation is NexPress's front-end and serves as a complete workflow solution based on an open architecture, employing Adobe

Appendix II

```
Extreme architecture. It allows for universally accepted file
formats and integrates with common workflow systems. The unique
NexQ Same Edge Perfector (SEP) technology ensures a consistent,
accurate color-to-color and front-to-back register by always using
the same paper edge to guide a sheet. The NexQ fuser technology
accommodates the entire range of paper weights without compromising
press speed.</text>
```

```
</textRange>
</textBox>
```

10 <textBox xpos="144" ypos="733.2729" width="206.9999"</pre> height="15.7498" color="None" canEdit="true" zpos="10" numCols="1" angle="0" frameColor="Cyan" runaroundleft="1" runaroundright="1" runaroundtop="1" runaroundbottom="1" runaroundtype="" frameWidth="0">

15 <textProperties/> <textRange font="Times New Roman" size="12"

color="Black">

<style name="Plain"/> <text>July 2000</text>

20 </textRange>

</textBox>

<textBox xpos="33.7637" ypos="657" width="104.3331" height="15.7498" color="None" canEdit="true" zpos="11" numCols="1" angle="0" frameColor="Cyan" runaroundleft="1" runaroundright="1"

runaroundtop="1" runaroundbottom="1" runaroundtype="" 25 frameWidth="0">

<textProperties/> <textRange font="Times New Roman" size="12"

color="Black">

30

40

<style name="Plain"/> <text>Reprinted from</text>

</textRange>

</textBox>

<textBox xpos="43.5" ypos="170" width="118.5"

height="18" color="White" canEdit="true" zpos="12" numCols="1" 35 angle="0" frameColor="Black" runaroundleft="1" runaroundright="1" runaroundtop="1" runaroundbottom="1" runaroundtype="" frameWidth="0">

<textProperties/>

<textRange font="R Frutiger Roman" size="12"

color="Black">

<style name="Plain"/> <text>By Nadia Cross</text>

</textRange>

45 </textBox>

> <textBox xpos="44.9999" ypos="53.4244" width="528.235" height="81.0747" color="None" canEdit="true" zpos="13" numCols="1" angle="0" frameColor="Red" runaroundleft="1" runaroundright="1" runaroundtop="1" runaroundbottom="1" runaroundtype=""

50 frameWidth="0">

> <textProperties/> <textRange font="Times New Roman" size="36"

color="DN purple">

<style name="Plain"/>

Appendix II

Ĺ

<text>Digital

Innovations from Drupa 2000</text>
</textRange>

</textBox>

5 cpictureBox xpos="18" ypos="18" width="576"

height="756" color="None" canEdit="true" zpos="14" angle="0" frameColor="DN purple" runaroundleft="1" runaroundright="1"

runaroundtop="1" runaroundbottom="1" runaroundtype=""

frameWidth="2"/>

10 </page>

</layout>

United States Patent & Trademark Office

Office of Initial Patent Examination - Scanning Division



| □ Page(s) | of | | were not presen |
|---------------|----|------------------|-----------------|
| for scanning. | | (Document title) | |

| \square Page(s) | of | | were not present |
|-------------------|----|------------------|------------------|
| for scanning | | (Document title) | |

Scanned copy is best available. drawings.

Application deficiencies found during scanning: